



Training Vessel - Diesel Engine - Main Propulsion

CJC™ Application Study

CUSTOMER

Chilean Navy-Training Ship:
"Esmeralda", Valparaiso, Chile.

THE SYSTEM

Engine: MAN B&W Alpha Diesel.

Type: 12V23.

Power: 1,920 kW. RPM: 900.

Oil volume in sump: 800 litres.

Oil type: TEXACO 16x30.

THE PROBLEM

Low load on the engine around 40 to 50% generates high soot contamination. This causes wear on the components. A spectral analysis of the oil showed 15 ppm of iron and 7 ppm of sodium.

THE SOLUTION

CJC™ Fine Filter 427/108, 720 L/h.

Dirt holding capacity: approx. 32 kg

Water holding capacity: approx. 19.2 L

Filter degree: 3 µm absolute, 1 µm nominal

THE RESULT

During a test period of 6 months the iron content in the oil reduced to 8 ppm and the sodium to 3 ppm.

The ISO cleanliness code remained at 19/14 and the insolubles were retained at a level of 0.396 gr/ltr.

With these results it is expected that the engine components life time will at least increase with a factor 2.


COMMENTS

Superintendent Engineer

Mr. Niemann from Armada de Chile:

In conjunction with the results obtained it shows that the use of the CJC™ Fine Engine Oil Filter increases the lifetime of the oil. Further analysis conducted by Texaco showed a reduction of iron content from 16 ppm to 5 ppm.

The lifetime of the Filter Insert proved shorter than expected but this attributed to the low load on the engine generating high levels of soot contamination.



Date	5 µm	15 µm	ISO	Weight gr / ltr.	Fe / Na
27.03.02	303,990	15,380	19/13	0.514	13.71 / 7.03
14.06.02	1,482,930	230,880	21/18	0.682	7.75 / 3.6
17.08.02	463,920	12,160	19/14	0.318	7.2 / 3.5
19.09.02	781,160	30,780	20/15	0.369	8.06 / 3.22